

Indbygningsramme 990x690x40 grå * -




Indbygningsramme 990x690x40 grå * -



L-formet ramme til indbygning. Med rammen kan skabet sænkes helt eller delvist.



Features

| | |
|--------------------|----------------|
| Finsk "lvi-nummer" | 2954796 |
| Farve | Grå (RAL 7040) |
| Højde (mm) | 690 |
| Bredde (mm) | 990 |
| Dybde (mm) | 40 |



| Flush_Mounting_Frame | H | W | h | w | D |
|---------------------------|---------|---------|--------|---------|-------|
| PV-102-202 | 772 mm | 1072 mm | 692 mm | 992 mm | 40 mm |
| PV-5-6 | 732 mm | 382 mm | 652 mm | 302 mm | 40 mm |
| PV-5-CO2 | 832 mm | 382 mm | 752 mm | 302 mm | 40 mm |
| PV-5-12 | 772 mm | 382 mm | 692 mm | 302 mm | 40 mm |
| LJH-48 | 872 mm | 477 mm | 792 mm | 397 mm | 40 mm |
| PV-112-212 | 872 mm | 1232 mm | 792 mm | 1152 mm | 40 mm |
| PV-7 | 382 mm | 382 mm | 302 mm | 302 mm | 40 mm |
| PV-9 | 632 mm | 632 mm | 552 mm | 552 mm | 40 mm |
| PV-34 | 782 mm | 382 mm | 702 mm | 302 mm | 40 mm |
| PV-142, 162, 182, 11, 200 | 872 mm | 872 mm | 792 mm | 792 mm | 40 mm |
| PV-302 | 1072 mm | 382 mm | 992 mm | 302 mm | 40 mm |
| PV-10 | 772 mm | 772 mm | 692 mm | 692 mm | 40 mm |
| PV-134 | 872 mm | 872 mm | 792 mm | 792 mm | 60 mm |

Flush_Mounting_Frame_Dimensional_Drawing

Luottamuksellinen Confidential
Property of PIVASET OY, Leppävirta, Finland.
Not to be handed over to, copied or used by third party.
Two- or three dimensional reproduction of contents
to be authorized by PIVASET OY.

12.12.2024