

Upotuskehys 300x690x40 harm. -






Upotuskehys 300x690x40 harm. -




L-mallinen upotuskehys. Kaappi voidaan upottaa kehyksen avulla joko kokonaan tai osittain.

Ominaisuudet



LVI-numero	2954786
Väri	Harmaa (RAL 7040)
Korkeus (mm)	690
Leveys (mm)	300
Syvyys (mm)	40



Flush_Mounting_Frame	Dimension				
	H	W	h	w	D
PV-102-202	772 mm	1072 mm	692 mm	992 mm	40 mm
PV-5-6	732 mm	382 mm	652 mm	302 mm	40 mm
PV-5-CO2	832 mm	382 mm	752 mm	302 mm	40 mm
PV-5-12	772 mm	382 mm	692 mm	302 mm	40 mm
LJH-48	872 mm	477 mm	792 mm	397 mm	40 mm
PV-112-212	872 mm	1232 mm	792 mm	1152 mm	40 mm
PV-7	382 mm	382 mm	302 mm	302 mm	40 mm
PV-9	632 mm	632 mm	552 mm	552 mm	40 mm
PV-34	782 mm	382 mm	702 mm	302 mm	40 mm
PV-142, 162, 182, 11, 200	872 mm	872 mm	792 mm	792 mm	40 mm
PV-302	1072 mm	382 mm	992 mm	302 mm	40 mm
PV-10	772 mm	772 mm	692 mm	692 mm	40 mm
PV-134	872 mm	872 mm	792 mm	792 mm	60 mm



Flush_Mounting_Frame_Dimensional_Drawing

Luottamuksellinen Confidential
 Property of PIVASET OY, Leppävirta, Finland.
 Not to be handed over to, copied or used by third party.
 Two- or three dimensional reproduction of contents
 to be authorized by PIVASET OY.

12.12.2024