


PV-23 Reel 550/150 19mm/30m PVC - Brannhydranttrommel




PV-23 Reel 550/150 19mm/30m PVC - Brannhydranttrommel



Slangetrommel beregnet for brannhydranter. For annen bruk anbefaler vi industrimodellen. Inkluderer brannpostslange og direkte-/tåkedyse. Utstyrt med veggmonteringsbrakett, slangestyring, 1 stengeventil, tilkoblingslange og tilbakespolingsknott. Den CE-merkede (EN 671-1:2012) brannhydrantrullen er alltid rød, og den maksimale lengden på slangen er 30 meter.

Features

EN 671-1 / 2012 godkjent	JA
Slangetype	PVC
Lengden på slangen	30
Slangens indre diameter	19 mm (3/4")
Bredde (mm)	550
Dybde (mm)	230



1" female thread

Dimension	
Reel	D
Reel 550/120	(235) mm
Reel 550/150	(265) mm
Reel 550/200	(315) mm

PV-23_Dimensional_Drawing



Luottamuksellinen Confidential
 Property of PIVASET OY, Leppävirta, Finland.
 Not to be handed over to, copied or used by third party.
 Two- or three dimensional reproduction of contents
 to be authorized by PIVASET OY.

11.12.2024